

AD-A107 493

BATTELLE COLUMBUS LABS OH

F/G 7/5

STUDY OF THE TWOPHOTON PHOTOREFRACTIVE EFFECT IN LITHIUM NIOBAT--ETC(U)

OCT 81 V E WOOD, C M VERBER, R C SHERMAN

DAA629-78-C-0028

NL

UNCLASSIFIED

ARO-15246.3-P

1 of 1
AD-A
107493



END
DATE
FILMED
12-81
DTIC

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

LEVEL

ARO

15246.3-P

12

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS
BEFORE COMPLETING FORM

1. REPORT NUMBER

2. GOVT ACCESSION NO.

3. RECIPIENT'S CATALOG NUMBER

4. TITLE (and Subtitle)

Study of the Two-Photon Photorefractive Effect
in Lithium Niobate

5. TYPE OF REPORT & PERIOD COVERED

Final Report, 15 June 1978-
1 September 1981

6. PERFORMING ORG. REPORT NUMBER

7. AUTHOR(s)

Van E. Wood, Carl M. Verber, Rand C. Sherman
and Nile F. Hartman

8. CONTRACT OR GRANT NUMBER(s)

DAAG-29-78-C0028

9. PERFORMING ORGANIZATION NAME AND ADDRESS

Battelle Columbus Laboratories
505 King Avenue
Columbus, OH 4320110. PROGRAM ELEMENT, PROJECT, TASK
AREA & WORK UNIT NUMBERS

11. CONTROLLING OFFICE NAME AND ADDRESS

U.S. Army Research Office
Post Office Box 12211
Research Triangle Park, NC 27709

12. REPORT DATE

26 October 1981

13. NUMBER OF PAGES

14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)

(9) Final report
13 June 1981

15. SECURITY CLASS. (of this report)

Unclassified

15a. DECLASSIFICATION/DOWNGRADING
SCHEDULE

N/A

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

DTIC

ELECTED

NOV 12 1981

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

N/A

18. SUPPLEMENTARY NOTES

The findings in this report are not to be construed as an official Department
of the Army position, unless so designated by other authorized documents.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

lithium niobate
optical properties of materials
holographyphotorefractive effect
non-linear optics
optical damage

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The dynamics and wavelength dependence of recording and optical erasure of thick phase gratings produced photorefractively were studied in undoped and in iron-doped lithium niobate. Properties of gratings formed at high incident power densities via two-photon absorption were compared with those of gratings formed at shorter wavelengths by the usual one-photon mechanism. Gratings formed by the two-photon mechanism in undoped crystals exhibit a distinctive two-exponential time dependence of optical erasure not observed in other circumstances. This shows that the nature of final trap states, as well

DO FORM 1 JAN 78 1073 1073 OF 1 NOV 88 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AD A107493

DTIC FILE COPY

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

as absorption and charge transfer characteristics, is important in controlling photorefractive sensitivity. A method was discovered for producing high diffraction efficiency gratings at infrared frequencies in titanium-diffused optical waveguides on lithium niobate.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

FINAL REPORT

Van E. Wood, Carl M. Verber,
Rand C. Sherman and Nile F. Hartman

Contract DAAG-29-78-C0028

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED

Accession For	
Title	
Edition	
Date of Issue	
Distribution	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

THE FINDINGS IN THIS REPORT ARE NOT TO BE
CONSTRUED AS AN OFFICIAL DEPARTMENT OF
THE ARMY POSITION, UNLESS SO DESIGNATED
BY OTHER AUTHORIZED DOCUMENTS.

STUDY OF THE TWO-PHOTON PHOTOREFRACTIVE
EFFECT IN LITHIUM NIOBATE

FINAL REPORT

October 26, 1981

to

U.S. ARMY RESEARCH OFFICE
Contract DAAG-29-78-C0028

from

BATTELLE
Columbus Laboratories

STATEMENT OF PROBLEM AND PRINCIPAL RESULTS

Photorefractivity is the name given to the spatially-varying change in refractive index which occurs in certain non-centrosymmetric crystals and poled ceramics when they are exposed to a spatially inhomogeneous light beam of suitable frequency and intensity. Since such a phenomenon is deleterious in some applications, the effect is sometimes referred to as "optical damage", a term which is, however, also applied to other effects. In the present program, we have studied the dynamics and the wavelength dependence of the photorefractive formation and optical erasure of thick phase gratings in lithium niobate, a material widely used in optical modulators, detectors, and data-processing devices and in integrated optics. Both nominally pure and iron-doped crystals have been investigated; and effects produced by ordinary (one-photon) optical absorption have been compared with those produced at high light intensities by two-photon absorption through a virtual intermediate state. The two-photon effect has been suggested as a possible way of forming holographic beam-splitters, modulators, etc., in a wavelength region where the crystal is completely transparent at low intensities, and thus immune to further photorefractive changes during use. Photorefractive effects occurring in optical waveguides made by diffusion of titanium into lithium niobate have also been studied and contrasted with those occurring in the bulk. The results have been reported in a series of presentations and papers, some of which are still in preparation.

It was demonstrated that two-photon photorefractivity could be observed and separated from one-photon effects at moderate peak power densities ($\sim 10 \text{ MW/cm}^2$) using repetitively pulsed lasers. We showed that the photorefractive sensitivity in iron-doped lithium niobate was considerably greater than that in undoped crystals. Photorefractive holographic gratings recorded in iron-doped LiNbO_3 by the two-photon process show similar optical erasure characteristics — a simple exponential decay, roughly inversely proportional to light intensity — to those recorded in the same crystals at shorter wavelengths using the one-photon effect, indicating that whatever the recording process, the same trap states end up being filled. The situation is quite different, though, in undoped LiNbO_3 ; there two-photon gratings display a distinct two-exponential optical erasure characteristic, while gratings recorded by the one-photon mechanism had a single exponential decay similar to that in the doped crystals.

Considerable interest attaches to the possibility of forming holographic gratings at long wavelengths in optical waveguides, as well as to the generation of long-term optical damage in devices using such waveguides. We found that gratings could be formed using $1.06 \mu\text{m}$ external-wavelength beams in waveguides produced by diffusion of titanium into LiNbO_3 , provided the grating was previously "sensitized" by exposure to guided light of $0.633 \mu\text{m}$ -wavelength from a He-Ne laser. Gratings could also be written at $1.06 \mu\text{m}$ without the sensitization step if the peak power was sufficiently high; but the power densities were then such as sometimes to produce physical damage to the waveguide. A two-photon, two-step process may be involved in both the sensitized and the high-power grating formation methods. While some evidence of optical damage in waveguides at long wavelengths may have been seen in other experiments, we believe those are the first high (25%) diffraction efficiency gratings produced by a photorefractive mechanism at $1.06 \mu\text{m}$.

Presentations

1. V. E. Wood, "Two-photon photorefractivity in pure and doped LiNbO_3 ". IEEE International Symposium on Applications of Ferroelectrics, Minneapolis, MN, June 1979.
2. V. E. Wood, "Optical erasure of one- and two-photon holograms in lithium niobate". Fifth International Meeting on Ferroelectricity, State College PA, August 1981.

Publications

1. V. E. Wood, N. F. Hartman and C. M. Verber, "Two-photon photorefractivity in pure and doped LiNbO_3 ". *Ferroelectrics*, 27, 237, (1980).
2. V. E. Wood, R. C. Sherman, N. F. Hartman and C. M. Verber, "Optical erasure of one- and two-photon holograms in Fe-doped LiNbO_3 ". *Ferroelectrics*, 34, 175 (1981).
3. V. E. Wood, R. C. Sherman and C. M. Verber, "Hologram formation at 1.06 μm in $\text{LiNbO}_3\text{:Ti}$ optical waveguides". Manuscript in preparation for submission to Optics Communications.
4. V. E. Wood, R. C. Sherman and C. M. Verber, "Optical erasure of one- and two-photon holograms in undoped LiNbO_3 ". Manuscript in preparation for submission to Ferroelectrics.

Scientific personnel supported by this project

Carl M. Verber
Van E. Wood
Nile F. Hartman
Rand C. Sherman

Degrees granted

None. Battelle is not a degree-granting institution.

FILMED
2-8